

HERBERT



Powerful



Prevent lifting

NEW

MC UNIVERSAL POWER TILTING VICE


High strength. **High** accuracy.

PATENT NUMBER

184869 201150 249761
256258



GERMANY 201125447

CHINA ZL01231630X



FEATURES:

- The vice different form conventional vice, than can be adjusted angle of workpiece directly, perpendicular direction adjustable angle from 0X to 50X, which can read process angles accurately.
- Once the tuning is fixed and properly fastened, heavy duty can be performed. There will be no loss of accuracy caused by heavy duty work.
- Semi-spherical segment eliminates jaw lifting and work-piece tilting.
- Rigid and high tensile casting of ductile iron FCD60JIS (Equal to GGG60) with 60kgs/mm² or 80.000 psi tensile strength.



MODEL	A	B	C	D	E	F	G	H	adjustable angle	POWER	N.W.	G.W.
MBT-160	645	550	160	225	165	126	63	200	0°-50°	5500kgf	75kg	80kg



HERBERT

HERBERT



Powerful



Prevent lifting

NEW

MC UNIVERSAL POWER TILTING VICE


High strength. **High** accuracy.

PATENT NUMBER

184869 201150 249761
256258


GERMANY 201125447

CHINA ZL01231630X



FEATURES:

- The vice different form conventional vice, than can be adjusted angle of workpiece directly, perpendicular direction adjustable angle from 0X to 50X, which can read process angles accurately.
- Once the tuning is fixed and properly fastened, heavy duty can be performed. There will be no loss of accuracy caused by heavy duty work.
- Semi-spherical segment eliminates jaw lifting and work-piece tilting.
- Rigid and high tensile casting of ductile iron FCD60JIS (Equal to GGG60) with 60kgs/mm² or 80.000 psi tensile strength.



MODEL	A	B	C	D	E	F	G	H	adjustable angle	POWER	N.W.	G.W.
MBT-160	645	550	160	225	165	126	63	200	0°-50°	5500kgf	75kg	80kg



HERBERT